

SOLUTION : PRACTICE QUESTION PAPER 2

- Q. 1. (A)** (i) (C)
(ii) (C)
(iii) (A)
(iv) (B).

Q. 1. (A) Explanation to the answers to MCQs in this question has been given below for students' guidance. Please note that, **Students are not expected to write the explanation in the examination.**

Explanations :

$$(i) D = \begin{vmatrix} a_1 & b_1 \\ a_2 & b_2 \end{vmatrix}$$

$$(ii) \text{ Roots are equal. } \therefore \Delta = b^2 - 4ac = 0.$$

$$(iii) S_n = \frac{n}{2} (t_1 + t_n).$$

$$(iv) n(A) = \{2\} \dots (1 \text{ and } 2) \quad P(A) = \frac{n(A)}{n(S)}.$$

Q. 1. (B) (i) Solution :

Substituting $y = 5$ in the equation $4x + 3y = 23$.

$$4x + 3(5) = 23$$

$$\therefore 4x + 15 = 23$$

$$\therefore 4x = 23 - 15 \quad \therefore 4x = 8 \quad \therefore x = 2$$

Ans. The value of x is **2**.

(ii) Solution :

$$3x^2 - 6x - 5 = 0.$$

Here, $b = -6$ and $a = 3$.

$$\alpha + \beta = \frac{-b}{a} = \frac{-(-6)}{3} = \frac{6}{3} = 2.$$

Ans. The value of $\alpha + \beta$ is **2**.

(iii) Solution :

FV = ₹ 50. MV is at a discount of 10%.

$$10\% \text{ of ₹ } 50 = ₹ 50 \times \frac{10}{100} = ₹ 5$$

$$MV = FV - \text{discount} = ₹ (50 - 5) \quad \therefore MV = ₹ 45$$

Ans. MV of the share is ₹ **45**.

(iv) Solution :

Here, $n(S) = 6$

Event $A = \{2, 4, 6\} \quad \therefore n(A) = 3.$

$$P(A) = \frac{n(A)}{n(S)} = \frac{3}{6} \quad \therefore P(A) = \frac{1}{2}$$

Ans. The probability is $\frac{1}{2}$.

Q. 2. (A) (i) Activity :

Adding equations (1) and (2),

$$5x + 3y = 9 \quad \dots (1)$$

$$2x - 3y = 12 \quad \dots (2)$$

$$\boxed{7x} = 21 \quad \therefore x = \boxed{3}$$

Substituting the value of x in equation (1),

$$\boxed{5 \times 3} + 3y = 9 \quad \therefore 3y = \boxed{-6} \quad \therefore y = -2.$$

(ii) Activity :

Let the n th term of this A.P. be 560.

$$t_n = \boxed{a + (n - 1) d} \quad \dots (\text{Formula})$$

$$\therefore 560 = 2 + (n - 1) \times 9 \quad \dots (\text{Substituting the values})$$

$$\therefore 560 = 2 + \boxed{9n - 9}$$

$$\therefore 9n = \boxed{567} \quad \therefore n = \boxed{63}.$$

(iii) Activity :

The sample space $S = \{ \boxed{1, 2, 3, 4, 5, 6} \} \quad \therefore n(S) = 6$

Event A : To get an odd number on the upper face.

$$\therefore A = \{ \boxed{1, 3, 5} \} \quad \therefore n(A) = 3$$

$$P(A) = \frac{\boxed{n(A)}}{n(S)} \quad \dots (\text{Formula})$$

$$\therefore P(A) = \frac{1}{\boxed{2}}.$$

Q. 2. (B) (i) Solution :

$$3x + ky = 3$$

Substituting $x = 5$ and $y = 3$,

$$3 \times 5 + k \times 3 = 3$$

$$\therefore 15 + 3k = 3$$

$$\therefore 3k = 3 - 15$$

$$\therefore 3k = -12$$

$$\therefore k = \frac{-12}{3}$$

$$\therefore k = -4$$

Ans. The value of k is -4 .

(ii) Solution :

$$x^2 + 8x + 15 = 0$$

$$\therefore x^2 + 5x + 3x + 15 = 0$$

$$\therefore x(x + 5) + 3(x + 5) = 0$$

$$\therefore (x + 5)(x + 3) = 0$$

$$\therefore x + 5 = 0 \quad \text{or} \quad x + 3 = 0$$

$$\therefore x = -5 \quad \text{or} \quad x = -3$$

Ans. $-5, -3$ are the roots of the given quadratic equation.

(iii) Solution :

Here, $a = 12$, $d = 16 - 12 = 4$, $t_{11} = ?$

$$t_n = a + (n - 1) d \quad \dots \text{(Formula)}$$

$$\therefore t_{11} = 12 + (11 - 1) \times 4 \quad \dots \text{(Substituting the values)}$$

$$= 12 + 10 \times 4$$

$$= 12 + 40$$

$$\therefore t_{11} = 52$$

Ans. The 11th term of the A.P. is **52**.

(iv) Solution :

Taxable value of a tin of lustre paint = ₹ 3000

Quantity 2 \therefore taxable amount = ₹ 3000 \times 2 = ₹ 6000.

The rate of GST is 18%

\therefore GST charged = 18% of ₹ 6000

$$= \frac{18}{100} \times 6000 = ₹ 1080$$

Ans. The GST charged is ₹ **1080**.

(v) Solution :

$$\text{Class mark} = \frac{\text{lower limit} + \text{upper limit}}{2}$$

$$= \frac{35 + 39}{2} = \frac{74}{2} = 37.$$

The next consecutive class is 39–43.

Ans. **37; 39–43**.

Q. 3. (A) (i) Activity :

Substitute $x = \frac{3}{2}$ in the given quadratic equation.

$$\therefore k \left[\left(\frac{3}{2} \right)^2 - \frac{3}{2} - 12 \right] = 0 \quad \therefore \frac{9k}{4} - \frac{3}{2} - 12 = 0$$

$$\therefore 9k - 6 - 48 = 0 \quad \dots \text{(Multiplying by 4)}$$

$$\therefore 9k = 54 \quad \therefore k = \frac{54}{9} \quad \therefore k = 6.$$

(ii) Activity :

Here, the modal class is **15–20**.

$$\text{Mode} = L + \left[\frac{f_1 - f_0}{2f_1 - f_0 - f_2} \right] \times h \quad \dots \text{(Formula)}$$

$$= 15 + \left[\frac{50 - 30}{2 \times 50 - 30 - 38} \right] \times 5 \quad \dots \text{(Substituting the values)}$$

$$= 15 + \frac{20}{100 - 68} \times 5$$

$$= 15 + \frac{20}{32} \times 5$$

$$= 15 + \frac{25}{8}$$

$$= \mathbf{18.125}.$$

Q. 3. (B) (i) Solution :

Two angles are complementary.

Suppose measure of one angle is x° and other angle is y° . ($x > y$)

From the given condition, we get

$$x = y + 50$$

$$\therefore x - y = 50 \quad \dots (1)$$

Sum of two complementary angles is 90° .

$$\therefore x + y = 90 \quad \dots (2)$$

Adding equations (1) and (2), we get

$$x - y = 50 \quad \dots (1)$$

$$x + y = 90 \quad \dots (2)$$

$$\hline 2x = 140$$

$$\therefore x = \frac{140}{2} = 70$$

Substituting $x = 70$ in equation (2), we get

$$70 + y = 90$$

$$\therefore y = 90 - 70 = 20$$

Ans. Measures of complementary angles are 70° and 20° respectively.

(ii) Solution :

Let the natural number be x .

Its reciprocal is $\frac{1}{x}$.

From the given condition,

$$x + \frac{1}{x} = \frac{65}{8}$$

$$\therefore 8x^2 + 8 = 65x \quad \dots \text{ (Multiplying both the sides by } 8x \text{)}$$

$$\therefore 8x^2 - 65x + 8 = 0$$

$$\therefore 8x^2 - 64x - x + 8 = 0$$

$$\therefore 8x(x - 8) - 1(x - 8) = 0$$

$$\therefore (x - 8)(8x - 1) = 0$$

$$\therefore x - 8 = 0 \quad \text{or} \quad 8x - 1 = 0$$

$$\therefore x = 8 \quad \text{or} \quad x = \frac{1}{8}$$

But $\frac{1}{8}$ is not a natural number.

$$\therefore x = \frac{1}{8} \text{ is unacceptable.}$$

$$\therefore x = 8$$

Ans. The natural number is **8**.


(iii) Solution :

The total area is $40 + 60 + 50 + 30 = 180$

The area is converted into component parts of 360° in the following table :

Crop	Area	Measure of the central angle
Jowar	40	$\frac{40}{180} \times 360^\circ = 80^\circ$
Wheat	60	$\frac{60}{180} \times 360^\circ = 120^\circ$
Sugar cane	50	$\frac{50}{180} \times 360^\circ = 100^\circ$
Vegetables	30	$\frac{30}{180} \times 360^\circ = 60^\circ$
Total	180	360°

On the basis of the table, the pie diagram is drawn.



(iv) Solution :

Discount 10% of ₹ 50000.

$$\therefore \text{discount} = ₹ 50000 \times \frac{10}{100} = ₹ 5000$$

$$\therefore \text{the taxable value of the laptop} = ₹ (50000 - 5000) = ₹ 45,000$$

Rate of GST = 18% \therefore rate of CGST = 9%

$$\text{CGST at 9\% of ₹ 45,000} = ₹ 45000 \times \frac{9}{100} = ₹ 4050$$

$$\text{SGST} = \text{CGST} = ₹ 4050$$

$$\therefore \text{amount paid} = ₹ (45000 + 4050 + 4050) = ₹ 53,100$$

Ans. Shekhar paid ₹ 53,100 for the laptop.

Q. 4. (i) Solution :

The condition for simultaneous equations having infinitely many solution is

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2} \quad \dots (1)$$

$$\text{For } x + 2y = 1; \quad a_1 = 1, b_1 = 2, c_1 = 1$$

$$\text{For } (a - b)x + (a + b)y = a + b - 2;$$

$$a_2 = a - b, b_2 = a + b, c_2 = a + b - 2$$

Substituting these values in (1),

$$\frac{1}{a - b} = \frac{2}{a + b} = \frac{1}{a + b - 2}$$

$$\text{Now, } \frac{1}{a - b} = \frac{1}{a + b - 2}$$

$$\therefore a + b - 2 = a - b \quad \dots (\text{Cross multiplying})$$

$$\therefore b - 2 = -b$$

$$\therefore b + b = 2$$

$$\therefore 2b = 2$$

$$\therefore b = \frac{2}{2}$$

$$\therefore b = 1.$$

Substituting $b = 1$ in $\frac{1}{a-b} = \frac{2}{a+b}$.

$$\frac{1}{a-1} = \frac{2}{a+1}$$

$$\therefore a+1 = 2(a-1) \quad \dots \text{ (Cross multiplying)}$$

$$\therefore a+1 = 2a-2$$

$$\therefore a-2a = -2-1$$

$$\therefore -a = -3$$

$$\therefore a = \frac{-3}{-1}$$

$$\therefore a = 3$$

Ans. The values of a and b are **3** and **1** respectively.

(ii) Solution :

The completed table is given below :

+	1	2	2	3	3	6
1	2	3	3	4	4	7
2	3	4	4	5	5	8
2	3	4	4	5	5	8
3	4	5	5	6	6	9
3	4	5	5	6	6	9
6	7	8	8	9	9	12

Here, $n(S) = 36$.

(i) Let A be the event that the total score is even.

Then, $A = \{2, 4, 4, 4, 4, 8, 4, 4, 8, 4, 6, 6, 4, 6, 6, 8, 8, 12\}$

$$\therefore n(A) = 18.$$

$$P(A) = \frac{n(A)}{n(S)} \quad \therefore P(A) = \frac{18}{36} = \frac{1}{2}$$

(ii) Let B be the event that the total score is 6.

Then $B = \{6, 6, 6, 6\}$ $\therefore n(B) = 4$

$$P(B) = \frac{n(B)}{n(S)} \quad \therefore P(B) = \frac{4}{36} = \frac{1}{9}$$

(iii) Let C be the event that the total score is at least 6.

Then, $C = \{7, 8, 8, 6, 6, 9, 6, 6, 9, 7, 8, 8, 9, 9, 12\}$


$$\therefore n(C) = 15$$

$$P(C) = \frac{n(C)}{n(S)} \quad \therefore P(C) = \frac{15}{36} = \frac{5}{12}$$

Ans. (i) $\frac{1}{2}$ (ii) $\frac{1}{9}$ (iii) $\frac{5}{12}$.

(iii) Solution :

Class mark of class	Class	Frequency (Number of students)
375	350–400	30
425	400–450	40
475	450–500	45
525	500–550	35
575	550–600	25



Q. 5. (i) Word problem :

The product of two consecutive natural numbers is 600. Find the smaller number.

Solution :

Let the two consecutive natural numbers be x and $x + 1$. ($x < x + 1$)

From the given condition,

$$x \times (x + 1) = 600$$

$$\therefore x^2 + x - 600 = 0$$

$$\therefore x^2 - 24x + 25x - 600 = 0$$

$$\therefore x(x - 24) + 25(x - 24) = 0$$

$$\therefore (x - 24)(x + 25) = 0 \quad \therefore x - 24 = 0 \quad \therefore x + 25 = 0$$

$$\therefore x = 24 \quad \text{or} \quad x = -25$$

But -25 is not a natural number.

$\therefore x = -25$ is unacceptable. $\therefore x = 24$ and $x + 1 = 24 + 1 = 25$

\therefore the two consecutive natural numbers are 24 and 25.

Ans. The smaller number is **24**.

(ii) Solution :

Let the first term of the A.P. be a and the common difference d .

$$t_{23} = 82 \text{ and } t_{38} = 128 \quad \dots \text{ (Given)}$$

$$t_n = a + (n - 1) d \quad \dots \text{ (Formula)}$$

$$\therefore t_{23} = a + (23 - 1) d$$

$$\therefore 82 = a + 22d \quad \dots \text{ (1)}$$

$$\text{and } t_{38} = a + (38 - 1) d$$

$$\therefore 128 = a + 37d \quad \dots \text{ (2)}$$

Adding equations (1) and (2),

$$a + 22d = 82 \quad \dots \text{ (1)}$$

$$a + 37d = 128 \quad \dots \text{ (2)}$$

$$\hline 2a + 59d = 210 \quad \dots \text{ (3)}$$

$$S_n = \frac{n}{2} [2a + (n - 1) d] \quad \dots \text{ (Formula)}$$

$$\therefore S_{60} = \frac{60}{2} [2a + (60 - 1) d]$$

$$= 30(2a + 59d)$$

$$= 30 \times 210 \quad \dots \text{ [From (3)]}$$

$$\therefore S_{60} = 6300$$

Ans. The sum of the first 60 terms is **6300**.
